

ATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Kazumasa KOKURA

Appln. No.: Not Yet Assigned

Confirmation No.: Not Yet Assigned

Group Art Unit: Not Yet Assigned

Filed: November 27, 2001

Examiner: Not Yet Assigned

For: CARGO HANDLING VEHICLE

PRELIMINARY AMENDMENT

Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to examination, please amend the above-identified application as follows:

IN THE SPECIFICATION:

Page 8, paragraph 6, the specification is changed as follows:

Figs. 10A, 10B and 10C are diagrams explaining a turning operation.

Page 8, paragraph 12, the specification is changed as follows:

Figs. 16A and 16B are diagrams explaining reach-out and reach-in of fork arms.

Page 9, paragraph 9, the specification is changed as follows:

Figs. 27A and 27B are diagrams illustrating a flowchart of carrying out an unloading operation.

Page 9, paragraph 11, the specification is changed as follows:

Figs. 29A and 29B are diagrams explaining reach-out and reach-in of fork arms.

Page 9, paragraph 13, the specification is changed as follows:

Figs. 31A and 31B are diagrams explaining a stacking operation according to a conventional forklift truck.

REMARKS

Entry and consideration of this Amendment is respectfully requested.

Respectfully submitted,



Darryl Mexic
Registration No. 23,063

SUGHRUE MION, PLLC
2100 Pennsylvania Avenue, N.W.
Washington, D.C. 20037-3213
Telephone: (202) 293-7060
Facsimile: (202) 293-7860
DM/plr
Date: November 27, 2001

APPENDIX

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE SPECIFICATION:

Page 8, paragraph 6, the specification is changed as follows:

~~Fig. 10~~ Figs. 10A, 10B and 10C ~~is~~ are ~~a~~ diagrams explaining a turning operation.

Page 8, paragraph 12, the specification is changed as follows:

~~Fig. 16~~ Figs. 16A and 16B ~~is~~ are ~~a~~ diagrams explaining reach-out and reach-in of fork arms.

Page 9, paragraph 9, the specification is changed as follows:

~~Fig. 27~~ Figs. 27A and 27B ~~is~~ are ~~a~~ diagrams illustrating a flowchart of carrying out an unloading operation.

Page 9, paragraph 11, the specification is changed as follows:

~~Fig. 29~~ Figs. 29A and 29B ~~is~~ are ~~a~~ diagrams explaining reach-out and reach-in of fork arms.

Page 9, paragraph 13, the specification is changed as follows:

~~Fig. 31~~ Figs. 31A and 31B ~~is~~ are ~~a~~ diagrams explaining a stacking operation according to a conventional forklift truck.